

Linguistics 384: Language and Computers

Topic 4: Writer's aids (Spelling and Grammar Correction)

Scott Martin*

Dept. of Linguistics, OSU
Autumn 2007

* The course was created together with Chris Brew, Markus Dickinson and Detmar Meurers.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Who cares about spelling?

*Aoccdrnig to a rscheearch at Cmabrigde
Uinervtisy, it deosn't mttar in waht oredr the ltteers
in a wrod are, the olny iprmoetnt tihng is taht the
frist and lsat ltteer be at the rghit pclae. The rset
can be a toatl mses and you can sitll raed it wouthit
porbelm. Tihs is bcuseae the huamn mnid deos not
raed ervey lteter by istlef, but the wrod as a wlohe.*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Who cares about spelling?

*Aoccdrnig to a rscheearch at Cmabrigde
Uinervtisy, it deosn't mttar in waht oredr the ltteers
in a wrod are, the olny iprmoetnt tihng is taht the
frist and lsat ltteer be at the rghit pclae. The rset
can be a toatl mses and you can sitll raed it wouthit
porbelm. Tihs is bcuseae the huamn mnid deos not
raed ervey lteter by istlef, but the wrod as a wlohe.*

(See <http://www.mrc-cbu.cam.ac.uk/personal/matt.davis/Cmabrigde/> for the story behind this supposed research report.)

*A dtcoor has aimtted the magltheuansr of a
taegene cceanr ptinaet who deid aetfr a haptosil
durg bednlur.*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Why people care about spelling

- ▶ Misspellings can cause misunderstandings and real-life problems:
 - ▶ For example:
 - ▶ Did you see her god yesterday? It's a big golden retriever.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Why people care about spelling

- ▶ Misspellings can cause misunderstandings and real-life problems:
 - ▶ For example:
 - ▶ Did you see her god yesterday? It's a big golden retriever.
 - ▶ This will be a fee [free] concert.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Why people care about spelling

- ▶ Misspellings can cause misunderstandings and real-life problems:
 - ▶ For example:
 - ▶ Did you see her god yesterday? It's a big golden retriever.
 - ▶ This will be a fee [free] concert.
 - ▶ 1991 Bell Atlantic & Pacific Bell telephone network outages were partly caused by a typographical error: A 6 in a line of computer code was supposed to be a *D*. "That one error caused the equipment and software to fail under an avalanche of computer-generated messages." (Wall Street Journal, Nov. 25, 1991)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Why people care about spelling (cont.)

- ▶ Standard spelling makes it easy to organize words and text:
 - ▶ e.g., Without standard spelling, how would you look up things in a lexicon or thesaurus?
 - ▶ e.g., Optical character recognition software can use knowledge about standard spelling to recognize scanned words even for hardly legible input.
- ▶ Standard spelling makes it possible to provide a single text, which is accessible to a wide range of readers (different backgrounds, speaking different dialects, etc.).
- ▶ Using standard spelling is associated with being well-educated, i.e., is used to make a good impression in social interaction.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How are spell checkers used?

- ▶ **interactive spelling checkers** = spell checker detects errors as you type.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How are spell checkers used?

- ▶ **interactive spelling checkers** = spell checker detects errors as you type.
 - ▶ It may or may not make suggestions for correction.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How are spell checkers used?

- ▶ **interactive spelling checkers** = spell checker detects errors as you type.
 - ▶ It may or may not make suggestions for correction.
 - ▶ Requires a “real-time” response (i.e., must be fast)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How are spell checkers used?

- ▶ **interactive spelling checkers** = spell checker detects errors as you type.
 - ▶ It may or may not make suggestions for correction.
 - ▶ Requires a “real-time” response (i.e., must be fast)
 - ▶ It is up to the human to decide if the spell checker is right or wrong.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

How are spell checkers used?

- ▶ **interactive spelling checkers** = spell checker detects errors as you type.
 - ▶ It may or may not make suggestions for correction.
 - ▶ Requires a “real-time” response (i.e., must be fast)
 - ▶ It is up to the human to decide if the spell checker is right or wrong.
 - ▶ If there are a list of choices, we may not require 100% accuracy in the corrected word

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How are spell checkers used?

- ▶ **interactive spelling checkers** = spell checker detects errors as you type.
 - ▶ It may or may not make suggestions for correction.
 - ▶ Requires a “real-time” response (i.e., must be fast)
 - ▶ It is up to the human to decide if the spell checker is right or wrong.
 - ▶ If there are a list of choices, we may not require 100% accuracy in the corrected word
- ▶ **automatic spelling correctors** = spell checker runs on a whole document, finds errors, and corrects them

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How are spell checkers used?

- ▶ **interactive spelling checkers** = spell checker detects errors as you type.
 - ▶ It may or may not make suggestions for correction.
 - ▶ Requires a “real-time” response (i.e., must be fast)
 - ▶ It is up to the human to decide if the spell checker is right or wrong.
 - ▶ If there are a list of choices, we may not require 100% accuracy in the corrected word
- ▶ **automatic spelling correctors** = spell checker runs on a whole document, finds errors, and corrects them
 - ▶ A much more difficult task.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How are spell checkers used?

- ▶ **interactive spelling checkers** = spell checker detects errors as you type.
 - ▶ It may or may not make suggestions for correction.
 - ▶ Requires a “real-time” response (i.e., must be fast)
 - ▶ It is up to the human to decide if the spell checker is right or wrong.
 - ▶ If there are a list of choices, we may not require 100% accuracy in the corrected word
- ▶ **automatic spelling correctors** = spell checker runs on a whole document, finds errors, and corrects them
 - ▶ A much more difficult task.
 - ▶ A human may or may not proofread the results later.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ There are two distinct tasks:
 - ▶ **error detection** = simply find the misspelled words
 - ▶ **error correction** = correct the misspelled words

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ There are two distinct tasks:
 - ▶ **error detection** = simply find the misspelled words
 - ▶ **error correction** = correct the misspelled words
- ▶ e.g., It might be easy to tell that *ater* is a misspelled word, but what is the correct word? *water?* *later?* *after?*

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ There are two distinct tasks:
 - ▶ **error detection** = simply find the misspelled words
 - ▶ **error correction** = correct the misspelled words
 - ▶ e.g., It might be easy to tell that *ater* is a misspelled word, but what is the correct word? *water?* *later?* *after?*
- ⇒ Depends on what we want to do with our results as to what we want to do.
- Note, though, that detection is a prerequisite for correction.

What causes errors?

- ▶ Keyboard mistypings
- ▶ Phonetic errors
- ▶ Knowledge problems

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Space bar issues

- ▶ **run-on** errors = two separate words become one
 - ▶ e.g., *the fuzz* becomes *thefuzz*

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

Space bar issues

- ▶ **run-on** errors = two separate words become one
 - ▶ e.g., *the fuzz* becomes *thefuzz*
- ▶ **split** errors = one word becomes two separate items
 - ▶ e.g., *equalization* becomes *equali zation*

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

Space bar issues

- ▶ **run-on** errors = two separate words become one
 - ▶ e.g., *the fuzz* becomes *thefuzz*
- ▶ **split** errors = one word becomes two separate items
 - ▶ e.g., *equalization* becomes *equali zation*

Note that the resulting items might still be words!

- ▶ e.g., *a tollway* becomes *atoll way*

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

Space bar issues

- ▶ **run-on** errors = two separate words become one
 - ▶ e.g., *the fuzz* becomes *thefuzz*
- ▶ **split** errors = one word becomes two separate items
 - ▶ e.g., *equalization* becomes *equali zation*

Note that the resulting items might still be words!

- ▶ e.g., *a tollway* becomes *atoll way*

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

Keyboard mistypings (cont.)

Keyboard proximity

- ▶ e.g., *Jack* becomes *Hack* since *h* and *j* are next to each other on a typical American keyboard

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

Keyboard mistypings (cont.)

Keyboard proximity

- ▶ e.g., *Jack* becomes *Hack* since *h* and *j* are next to each other on a typical American keyboard

Physical similarity

- ▶ similarity of shape, e.g., mistaking two physically similar letters when typing up something handwritten
 - ▶ e.g., *tight* for *fight*

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

phonetic errors = errors based on the sounds of a language (not necessarily on the letters)

- ▶ **homophones** = two words which sound the same
 - ▶ e.g., *red/read* (past tense), *cite/site/sight*, *they're/their/there*

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

phonetic errors = errors based on the sounds of a language (not necessarily on the letters)

- ▶ **homophones** = two words which sound the same
 - ▶ e.g., *red/read* (past tense), *cite/site/sight*, *they're/their/there*
- ▶ **Spoonerisms** = switching two letters/sounds around
 - ▶ e.g., *It's a tavy grain with biscuit wheels.*

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

Phonetic errors (cont.)

- ▶ letter substitution: replacing a letter (or sequence of letters) with a similar-sounding one
 - ▶ e.g., *John cracked his nuckles.*

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

- ▶ letter substitution: replacing a letter (or sequence of letters) with a similar-sounding one
 - ▶ e.g., *John kracked his nuckles.*
instead of *John cracked his knuckles.*
 - ▶ e.g., *I study sikologe.*

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

- ▶ letter substitution: replacing a letter (or sequence of letters) with a similar-sounding one
 - ▶ e.g., *John kracked his nuckles.*
instead of *John cracked his knuckles.*
 - ▶ e.g., *I study sikologee.*
- ▶ word replacement: replacing one word with some similar-sounding word
 - ▶ e.g., *John battled me on the back.*

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

- ▶ letter substitution: replacing a letter (or sequence of letters) with a similar-sounding one
 - ▶ e.g., *John kracked his nuckles.*
instead of *John cracked his knuckles.*
 - ▶ e.g., *I study sikologee.*
- ▶ word replacement: replacing one word with some similar-sounding word
 - ▶ e.g., *John battled me on the back.*
instead of *John patted me on the back.*

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

More examples for phonetic errors

- (1) a. death in Venice
b. deaf in Venice
- (2) a. give them an ice bucket
b. give them a nice bucket
- (3) a. the stuffy nose
b. the stuff he knows
- (4) a. the biggest hurdle
b. the biggest turtle
- (5) a. some others
b. some mothers
- (6) a. a Coke and a danish
b. a coconut danish

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

- ▶ not knowing a word and guessing its spelling (can be phonetic)
 - ▶ e.g., *sientist*

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

- ▶ not knowing a word and guessing its spelling (can be phonetic)
 - ▶ e.g., *sientist*
- ▶ not knowing a rule and guessing it
 - ▶ e.g., Do we double a consonant for *ing* words?
jog → *joging*
joke → *jokking*

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

What makes spelling correction difficult?

- ▶ **Tokenization:** What is a word?
- ▶ **Inflection:** How are some words related?
- ▶ **Productivity of language:** How many words are there?

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

What makes spelling correction difficult?

- ▶ **Tokenization:** What is a word?
- ▶ **Inflection:** How are some words related?
- ▶ **Productivity of language:** How many words are there?

How we handle these issues determines how we build a dictionary.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Tokenization

Intuitively a “word” is simply whatever is between two spaces, but this is not always so clear.

- ▶ contractions = two words combined into one
 - ▶ e.g., *can't*, *he's*, *John's [car]* (vs. *his car*)
- ▶ multi-token words = (arguably) a single word with a space in it
 - ▶ e.g., *New York*, *in spite of*, *deja vu*

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization

Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Tokenization

Intuitively a “word” is simply whatever is between two spaces, but this is not always so clear.

- ▶ contractions = two words combined into one
 - ▶ e.g., *can't, he's, John's [car]* (vs. *his car*)
- ▶ multi-token words = (arguably) a single word with a space in it
 - ▶ e.g., *New York, in spite of, deja vu*
- ▶ hyphens (note: can be ambiguous if a hyphen ends a line)
 - ▶ Some are always a single word: *e-mail, co-operate*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

Tokenization

- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Tokenization

Intuitively a “word” is simply whatever is between two spaces, but this is not always so clear.

- ▶ contractions = two words combined into one
 - ▶ e.g., *can't, he's, John's [car]* (vs. *his car*)
- ▶ multi-token words = (arguably) a single word with a space in it
 - ▶ e.g., *New York, in spite of, deja vu*
- ▶ hyphens (note: can be ambiguous if a hyphen ends a line)
 - ▶ Some are always a single word: *e-mail, co-operate*
 - ▶ Others are two words combined into one:
Columbus-based, sound-change

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

Tokenization

- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Tokenization

Intuitively a “word” is simply whatever is between two spaces, but this is not always so clear.

- ▶ contractions = two words combined into one
 - ▶ e.g., *can't, he's, John's [car]* (vs. *his car*)
- ▶ multi-token words = (arguably) a single word with a space in it
 - ▶ e.g., *New York, in spite of, deja vu*
- ▶ hyphens (note: can be ambiguous if a hyphen ends a line)
 - ▶ Some are always a single word: *e-mail, co-operate*
 - ▶ Others are two words combined into one:
Columbus-based, sound-change
- ▶ Abbreviations: may stand for multiple words
 - ▶ e.g., *etc. = et cetera, ATM = Automated Teller Machine*

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization

Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ A word in English may appear in various guises due to word **inflections** = word endings which are fairly systematic for a given part of speech

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ A word in English may appear in various guises due to word **inflections** = word endings which are fairly systematic for a given part of speech
 - ▶ plural noun ending: *the boy* + *s* → *the boys*
 - ▶ past tense verb ending: *walk* + *ed* → *walked*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ A word in English may appear in various guises due to word **inflections** = word endings which are fairly systematic for a given part of speech
 - ▶ plural noun ending: *the boy* + *s* → *the boys*
 - ▶ past tense verb ending: *walk* + *ed* → *walked*
- ▶ This can make spell-checking hard:
 - ▶ There are exceptions to the rules: *mans*, *runned*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ A word in English may appear in various guises due to word **inflections** = word endings which are fairly systematic for a given part of speech
 - ▶ plural noun ending: *the boy* + *s* → *the boys*
 - ▶ past tense verb ending: *walk* + *ed* → *walked*
- ▶ This can make spell-checking hard:
 - ▶ There are exceptions to the rules: *mans*, *runned*
 - ▶ There are words which look like they have a given ending, but they don't: *Hans*, *deed*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ part of speech change: nouns can be verbified
 - ▶ *emailed* is a common new verb coined after the noun *email*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection

Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ part of speech change: nouns can be verbified
 - ▶ *emailed* is a common new verb coined after the noun *email*
- ▶ morphological productivity: prefixes and suffixes can be added
 - ▶ e.g., I can speak of *un-email-able* for someone who you can't reach by email.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection

Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ part of speech change: nouns can be verbified
 - ▶ *emailed* is a common new verb coined after the noun *email*
- ▶ morphological productivity: prefixes and suffixes can be added
 - ▶ e.g., I can speak of *un-email-able* for someone who you can't reach by email.
- ▶ words entering and exiting the lexicon, e.g.:
 - ▶ *thou*, or *spleet* 'split' (*Hamlet III.2.10*) are on their way out
 - ▶ *d'oh* seems to be entering

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection

Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Techniques used for spell checking

- ▶ Non-word error detection
- ▶ Isolated-word error correction
- ▶ Context-dependent word error detection and correction
→ grammar correction.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection

Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ **non-word error detection** is essentially the same thing as **word recognition** = splitting up “words” into true words and non-words.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ **non-word error detection** is essentially the same thing as **word recognition** = splitting up “words” into true words and non-words.
- ▶ How is non-word error detection done?
 - ▶ using a dictionary (construction and lookup)
 - ▶ n-gram analysis

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Intuition:

- ▶ Have a complete list of words and check the input words against this list.
- ▶ If it's not in the dictionary, it's not a word.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Intuition:

- ▶ Have a complete list of words and check the input words against this list.
- ▶ If it's not in the dictionary, it's not a word.

Two aspects:

- ▶ **Dictionary construction** = build the dictionary (what do you put in it?)
- ▶ **Dictionary lookup** = lookup a potential word in the dictionary (how do you do this quickly?)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Dictionary construction

- ▶ Do we include inflected words? i.e., words with prefixes and suffixes already attached.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Dictionary construction

- ▶ Do we include inflected words? i.e., words with prefixes and suffixes already attached.
 - ▶ Pro: lookup can be faster
 - ▶ Con: takes much more space, doesn't account for new formations (e.g., *google* → *googled*)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Dictionary construction

- ▶ Do we include inflected words? i.e., words with prefixes and suffixes already attached.
 - ▶ Pro: lookup can be faster
 - ▶ Con: takes much more space, doesn't account for new formations (e.g., *google* → *googled*)
- ▶ Want the dictionary to have only the word relevant for the user → **domain-specificity**
 - ▶ e.g., For most people *memoize* is a misspelled word, but in computer science this is a technical term and spelled correctly.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Dictionary construction

- ▶ Do we include inflected words? i.e., words with prefixes and suffixes already attached.
 - ▶ Pro: lookup can be faster
 - ▶ Con: takes much more space, doesn't account for new formations (e.g., *google* → *googled*)
- ▶ Want the dictionary to have only the word relevant for the user → **domain-specificity**
 - ▶ e.g., For most people *memoize* is a misspelled word, but in computer science this is a technical term and spelled correctly.
- ▶ Foreign words, hyphenations, derived words, proper nouns, and new words will always be problems for dictionaries since we cannot predict these words until humans have made them words.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Dictionary construction

- ▶ Do we include inflected words? i.e., words with prefixes and suffixes already attached.
 - ▶ Pro: lookup can be faster
 - ▶ Con: takes much more space, doesn't account for new formations (e.g., *google* → *googled*)
- ▶ Want the dictionary to have only the word relevant for the user → **domain-specificity**
 - ▶ e.g., For most people *memoize* is a misspelled word, but in computer science this is a technical term and spelled correctly.
- ▶ Foreign words, hyphenations, derived words, proper nouns, and new words will always be problems for dictionaries since we cannot predict these words until humans have made them words.
- ▶ Dictionary should probably be dialectally consistent.
 - ▶ e.g., include only *color* or *colour* but not both

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

Dictionaries

- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Several issues arise when trying to look up a word:

- ▶ Have to make lookup fast by using efficient lookup techniques, such as a hash table.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Several issues arise when trying to look up a word:

- ▶ Have to make lookup fast by using efficient lookup techniques, such as a hash table.
- ▶ Have to strip off prefixes and suffixes if the word isn't an entry by itself.
 - ▶ *running* → *run*
 - ▶ *nonreligiously* → *religious*

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

N-gram analysis

- ▶ An **n-gram** here is a string of n letters.

<i>a</i>	1-gram (unigram)
<i>at</i>	2-gram (bigram)
<i>ate</i>	3-gram (trigram)
<i>late</i>	4-gram
⋮	⋮

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries

N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ An **n-gram** here is a string of n letters.

<i>a</i>	1-gram (unigram)
<i>at</i>	2-gram (bigram)
<i>ate</i>	3-gram (trigram)
<i>late</i>	4-gram
⋮	⋮

- ▶ We can use this n-gram information to define what the possible strings in a language are.
 - ▶ e.g., *po* is a possible English string, whereas *kvt* is not.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How do we store and use n-gram information?

- ▶ Store the number of times an n-gram appears (like in Language Identification). But, maybe we just want to know if an n-gram is possible.
- ▶ We could have a list of possible and impossible n-grams (1 = possible, 0 = impossible):

po	1
kvt	0
police	1
asdf	0

- ▶ Any word which has a 0 for any substring is a misspelled word.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How do we store and use n-gram information?

- ▶ Store the number of times an n-gram appears (like in Language Identification). But, maybe we just want to know if an n-gram is possible.
- ▶ We could have a list of possible and impossible n-grams (1 = possible, 0 = impossible):

po	1
kvt	0
police	1
asdf	0

- ▶ Any word which has a 0 for any substring is a misspelled word.
- ▶ Problems with such an approach:
 - ▶ Information is repeated (*po* is in *police*)
 - ▶ Requires a lot of computer storage space

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How do we store and use n-gram information?

- ▶ Store the number of times an n-gram appears (like in Language Identification). But, maybe we just want to know if an n-gram is possible.
- ▶ We could have a list of possible and impossible n-grams (1 = possible, 0 = impossible):

po	1
kvt	0
police	1
asdf	0

- ▶ Any word which has a 0 for any substring is a misspelled word.
- ▶ Problems with such an approach:
 - ▶ Information is repeated (*po* is in *police*)
 - ▶ Requires a lot of computer storage space
 - ▶ Inefficient (slow) when looking up every string

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How do we store and use n-gram information?

- ▶ Store the number of times an n-gram appears (like in Language Identification). But, maybe we just want to know if an n-gram is possible.
- ▶ We could have a list of possible and impossible n-grams (1 = possible, 0 = impossible):

po	1
kvt	0
police	1
asdf	0

- ▶ Any word which has a 0 for any substring is a misspelled word.
- ▶ Problems with such an approach:
 - ▶ Information is repeated (*po* is in *police*)
 - ▶ Requires a lot of computer storage space
 - ▶ Inefficient (slow) when looking up every string

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Bigram array

- ▶ Instead, we can define a **bigram array** = information stored in a tabular fashion.
- ▶ An example, for the letters *k*, *l*, *m*, with examples in parentheses

	...	k	l	m	...
⋮					
k		0	1 (<i>tackle</i>)	1 (<i>Hackman</i>)	
l		1 (<i>elk</i>)	1 (<i>hello</i>)	1 (<i>alms</i>)	
m		0	0	1 (<i>hammer</i>)	
⋮					

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries

N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Bigram array

- ▶ Instead, we can define a **bigram array** = information stored in a tabular fashion.
- ▶ An example, for the letters *k*, *l*, *m*, with examples in parentheses

	...	k	l	m	...
:					
k		0	1 (<i>tackle</i>)	1 (<i>Hackman</i>)	
l		1 (<i>elk</i>)	1 (<i>hello</i>)	1 (<i>alms</i>)	
m		0	0	1 (<i>hammer</i>)	
:					

- ▶ The first letter of the bigram is given by the vertical letters (i.e., down the side), the second by the horizontal ones (i.e., across the top).
- ▶ This is a **non-positional bigram array** = the array 1's and 0's apply for a string found anywhere within a word (beginning, 4th character, ending, etc.).

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries

N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Positional bigram array

- ▶ To store information specific to the beginning, the end, or some other position in a word, we can use a **positional bigram array** = the array only applies for a given position in a word.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Positional bigram array

- ▶ To store information specific to the beginning, the end, or some other position in a word, we can use a **positional bigram array** = the array only applies for a given position in a word.
- ▶ Here's the same array as before, but now only applied to word endings:

	...	k	l	m	...
⋮					
k		0	0	0	
l		1 (<i>elk</i>)	1 (<i>hall</i>)	1 (<i>elm</i>)	
m		0	0	0	
⋮					

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ Having discussed how errors can be detected, we want to know how to correct these misspelled words:
 - ▶ The most common method is **isolated-word error correction** = correcting words without taking context into account.
 - ▶ Note: This technique can only handle errors that result in non-words.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ Having discussed how errors can be detected, we want to know how to correct these misspelled words:
 - ▶ The most common method is **isolated-word error correction** = correcting words without taking context into account.
 - ▶ Note: This technique can only handle errors that result in non-words.
- ▶ Knowledge about what is a typical error helps in finding correct word.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ word length effects: most misspellings are within two characters in length of original
 - When searching for the correct spelling, we do not usually need to look at words with greater length differences.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ word length effects: most misspellings are within two characters in length of original
 - When searching for the correct spelling, we do not usually need to look at words with greater length differences.
- ▶ first-position error effects: the first letter of a word is rarely erroneous
 - When searching for the correct spelling, the process is sped up by being able to look only at words with the same first letter.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ Many different methods are used; we will briefly look at four methods:
 - ▶ rule-based methods
 - ▶ similarity key techniques
 - ▶ minimum edit distance
 - ▶ probabilistic methods

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ Many different methods are used; we will briefly look at four methods:
 - ▶ rule-based methods
 - ▶ similarity key techniques
 - ▶ minimum edit distance
 - ▶ probabilistic methods
- ▶ The methods play a role in one of the three basic steps:
 1. Detection of an error (discussed above)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ Many different methods are used; we will briefly look at four methods:
 - ▶ rule-based methods
 - ▶ similarity key techniques
 - ▶ minimum edit distance
 - ▶ probabilistic methods
- ▶ The methods play a role in one of the three basic steps:
 1. Detection of an error (discussed above)
 2. Generation of candidate corrections
 - ▶ rule-based methods
 - ▶ similarity key techniques

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ Many different methods are used; we will briefly look at four methods:
 - ▶ rule-based methods
 - ▶ similarity key techniques
 - ▶ minimum edit distance
 - ▶ probabilistic methods
- ▶ The methods play a role in one of the three basic steps:
 1. Detection of an error (discussed above)
 2. Generation of candidate corrections
 - ▶ rule-based methods
 - ▶ similarity key techniques
 3. Ranking of candidate corrections
 - ▶ probabilistic methods
 - ▶ minimum edit distance

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

One can generate correct spellings by writing rules:

- ▶ Common misspelling rewritten as correct word:
 - ▶ e.g., *hte* → *the*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

Rule-based methods

- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

One can generate correct spellings by writing rules:

- ▶ Common misspelling rewritten as correct word:
 - ▶ e.g., *hte* → *the*
- ▶ Rules
 - ▶ based on inflections:
 - ▶ e.g., *VCing* → *VCCing*, where
 - V = letter representing vowel,
basically the regular expression [aeiou]
 - C = letter representing consonant,
basically [bcdfghjklmnpqrstvwxyz]

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

One can generate correct spellings by writing rules:

- ▶ Common misspelling rewritten as correct word:
 - ▶ e.g., *hte* → *the*
- ▶ Rules
 - ▶ based on inflections:
 - ▶ e.g., *VCing* → *VCCing*, where
 - V = letter representing vowel,
basically the regular expression [aeiou]
 - C = letter representing consonant,
basically [bcdfghjklmnpqrstvwxyz]
 - ▶ based on other common spelling errors (such as keyboard effects or common transpositions):
 - ▶ e.g., *CsC* → *CaC*
 - ▶ e.g., *Cie* → *Cei*

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Similarity key techniques

- ▶ Problem: How can we find a list of possible corrections?
- ▶ Solution: Store words in different boxes in a way that puts the similar words together.
- ▶ Example:
 1. Start by storing words by their first letter (first letter effect),
 - ▶ e.g., *punc* starts with the code P.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Similarity key techniques

- ▶ Problem: How can we find a list of possible corrections?
- ▶ Solution: Store words in different boxes in a way that puts the similar words together.
- ▶ Example:
 1. Start by storing words by their first letter (first letter effect),
 - ▶ e.g., *punc* starts with the code P.
 2. Then assign numbers to each letter
 - ▶ e.g., 0 for vowels, 1 for *b, p, f, v* (all bilabials), and so forth, e.g., *punc* → P052

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Similarity key techniques

- ▶ Problem: How can we find a list of possible corrections?
- ▶ Solution: Store words in different boxes in a way that puts the similar words together.
- ▶ Example:
 1. Start by storing words by their first letter (first letter effect),
 - ▶ e.g., *punc* starts with the code P.
 2. Then assign numbers to each letter
 - ▶ e.g., 0 for vowels, 1 for *b, p, f, v* (all bilabials), and so forth, e.g., *punc* → P052
 3. Then throw out all zeros and repeated letters,
 - ▶ e.g., P052 → P52.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Similarity key techniques

- ▶ Problem: How can we find a list of possible corrections?
- ▶ Solution: Store words in different boxes in a way that puts the similar words together.
- ▶ Example:
 1. Start by storing words by their first letter (first letter effect),
 - ▶ e.g., *punc* starts with the code P.
 2. Then assign numbers to each letter
 - ▶ e.g., 0 for vowels, 1 for *b, p, f, v* (all bilabials), and so forth, e.g., *punc* → P052
 3. Then throw out all zeros and repeated letters,
 - ▶ e.g., P052 → P52.
 4. Look for real words within the same box,
 - ▶ e.g., *punk* is also in the P52 box.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods

Similarity key techniques

- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Two main probabilities are taken into account:

- ▶ **transition probabilities** = probability (chance) of going from one letter to the next.
 - ▶ e.g., What is the chance that *a* will follow *p* in English?
That *u* will follow *q*?

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Two main probabilities are taken into account:

- ▶ **transition probabilities** = probability (chance) of going from one letter to the next.
 - ▶ e.g., What is the chance that *a* will follow *p* in English? That *u* will follow *q*?
- ▶ **confusion probabilities** = probability of one letter being mistaken (substituted) for another (can be derived from a confusion matrix)
 - ▶ e.g., What is the chance that *q* is confused with *p*?

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Two main probabilities are taken into account:

- ▶ **transition probabilities** = probability (chance) of going from one letter to the next.
 - ▶ e.g., What is the chance that *a* will follow *p* in English?
That *u* will follow *q*?
- ▶ **confusion probabilities** = probability of one letter being mistaken (substituted) for another (can be derived from a confusion matrix)
 - ▶ e.g., What is the chance that *q* is confused with *p*?

Useful to combine probabilistic techniques with dictionary methods

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Confusion probabilities

- ▶ For the various reasons discussed above (keyboard layout, phonetic similarity, etc.) people type other letters than the ones they intended.
- ▶ It is impossible to fully investigate all possible error causes and how they interact, but we can learn from watching how often people make errors and where.
- ▶ One way of doing so is to build a **confusion matrix** = a table indicating how often one letter is mistyped for another

		correct				
		...	r	s	t	...
typed	r		n/a	12	22	
	s		14	n/a	15	
	t		11	37	n/a	
	⋮					

(cf. Kernighan et al 1999)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How is a mistyped word related to the intended?

Types of operations

- ▶ **insertion** = a letter is added to a word

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How is a mistyped word related to the intended?

Types of operations

- ▶ **insertion** = a letter is added to a word
- ▶ **deletion** = a letter is deleted from a word

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How is a mistyped word related to the intended?

Types of operations

- ▶ **insertion** = a letter is added to a word
- ▶ **deletion** = a letter is deleted from a word
- ▶ **substitution** = a letter is put in place of another one

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How is a mistyped word related to the intended?

Types of operations

- ▶ **insertion** = a letter is added to a word
- ▶ **deletion** = a letter is deleted from a word
- ▶ **substitution** = a letter is put in place of another one
- ▶ **transposition** = two adjacent letters are switched

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How is a mistyped word related to the intended?

Types of operations

- ▶ **insertion** = a letter is added to a word
- ▶ **deletion** = a letter is deleted from a word
- ▶ **substitution** = a letter is put in place of another one
- ▶ **transposition** = two adjacent letters are switched

Note that the first two alter the length of the word, whereas the second two maintain the same length.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How is a mistyped word related to the intended?

Types of operations

- ▶ **insertion** = a letter is added to a word
- ▶ **deletion** = a letter is deleted from a word
- ▶ **substitution** = a letter is put in place of another one
- ▶ **transposition** = two adjacent letters are switched

Note that the first two alter the length of the word, whereas the second two maintain the same length.

General properties

- ▶ **single-error misspellings** = only one instance of an error
- ▶ **multi-error misspellings** = multiple instances of errors (harder to identify)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods

Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Minimum edit distance

- ▶ In order to rank possible spelling corrections, it can be useful to calculate the **minimum edit distance** = minimum number of operations it would take to convert one word into another.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ In order to rank possible spelling corrections, it can be useful to calculate the **minimum edit distance** = minimum number of operations it would take to convert one word into another.
- ▶ For example, we can take the following five steps to convert *junk* to *haiku*:
 1. *junk* → *juk* (deletion)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ In order to rank possible spelling corrections, it can be useful to calculate the **minimum edit distance** = minimum number of operations it would take to convert one word into another.
- ▶ For example, we can take the following five steps to convert *junk* to *haiku*:
 1. *junk* → *juk* (deletion)
 2. *juk* → *huk* (substitution)

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ In order to rank possible spelling corrections, it can be useful to calculate the **minimum edit distance** = minimum number of operations it would take to convert one word into another.
- ▶ For example, we can take the following five steps to convert *junk* to *haiku*:
 1. *junk* → *juk* (deletion)
 2. *juk* → *huk* (substitution)
 3. *huk* → *hku* (transposition)

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ In order to rank possible spelling corrections, it can be useful to calculate the **minimum edit distance** = minimum number of operations it would take to convert one word into another.
- ▶ For example, we can take the following five steps to convert *junk* to *haiku*:
 1. *junk* → *juk* (deletion)
 2. *juk* → *huk* (substitution)
 3. *huk* → *hku* (transposition)
 4. *hku* → *hiku* (insertion)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ In order to rank possible spelling corrections, it can be useful to calculate the **minimum edit distance** = minimum number of operations it would take to convert one word into another.
- ▶ For example, we can take the following five steps to convert *junk* to *haiku*:
 1. *junk* → *juk* (deletion)
 2. *juk* → *huk* (substitution)
 3. *huk* → *hku* (transposition)
 4. *hku* → *hiku* (insertion)
 5. *hiku* → *haiku* (insertion)
- ▶ But is this the minimal number of steps needed?

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods

Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Computing edit distances

Figuring out the worst case

- ▶ To be able to compute the edit distance of two words at all, we need to ensure there is a finite number of steps.
- ▶ This can be accomplished by
 - ▶ requiring that letters cannot be changed back and forth a potentially infinite number of times, i.e., we
 - ▶ limit the number of changes to the size of the material we are presented with, the two words.
- ▶ Idea: Never deal with a character in either word more than once.
- ▶ Result:
 - ▶ In the worst case, we delete each character in the first word and then insert each character of the second word.
 - ▶ The worst case edit distance for two words is $length(word1) + length(word2)$

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods

Minimum edit distance

Grammar correction


Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Computing edit distances

Using a graph to map out the options

- ▶ To calculate minimum edit distance, we set up a **directed, acyclic graph**, a set of nodes (circles) and arcs (arrows).
- ▶ Horizontal arcs correspond to deletions, vertical arcs correspond to insertions, and diagonal arcs correspond to substitutions (and a letter can be “substituted” for itself).



Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction


Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Computing edit distances

An example graph

- ▶ Say, the user types in *plog*.
- ▶ We want to calculate how far away *peg* is (one of the possible corrections). In other words, we want to calculate the minimum edit distance (or minimum edit cost) from *plog* to *peg*.
- ▶ As the first step, we draw the following directed graph:



Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction


- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Computing edit distances

Adding numbers to the example graph

- ▶ The graph is **acyclic** = for any given node, it is impossible to return to that node by following the arcs.
- ▶ We can add identifiers to the states, which allows us to define a **topological order**:



Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction


- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Computing edit distances

Adding costs to the arcs of the example graph

- ▶ We need to add the costs involved to the arcs.
- ▶ In the simplest case, the cost of deletion, insertion, and substitution is 1 each (and substitution with the same character is free).



- ▶ Instead of assuming the same cost for all operations, in reality one will use different costs, e.g., for the first character or based on the confusion probability.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Computing edit distances

How to compute the path with the least cost

We want to find the path from the start (1) to the end (20) with the least cost.

- ▶ The simple but dumb way of doing it:
 - ▶ Follow every path from start (1) to finish (20) and see how many changes we have to make.
 - ▶ But this is very inefficient! There are many different paths to check.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods

Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Computing edit distances

The smart way to compute the least cost

- ▶ The smart way to compute the least cost uses **dynamic programming** = a program designed to make use of results computed earlier
 - ▶ We follow the topological ordering.
 - ▶ As we go in order, we calculate the least cost for that node:
 - ▶ We add the cost of an arc to the cost of reaching the node this arc originates from.
 - ▶ We take the minimum of the costs calculated for all arcs pointing to a node and store it for that node.
 - ▶ The key point is that we are storing partial results along the way, instead of recalculating everything, every time we compute a new path.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods

Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Context-dependent word correction = correcting words based on the surrounding context.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Context-dependent word correction = correcting words based on the surrounding context.

- ▶ This will handle errors which are real words, just not the right one or not in the right form.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Context-dependent word correction = correcting words based on the surrounding context.

- ▶ This will handle errors which are real words, just not the right one or not in the right form.
- ▶ Essentially a fancier name for a **grammar checker** = a mechanism which tells a user if their grammar is wrong.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Grammar correction—what does it correct?

- ▶ Syntactic errors = errors in how words are put together in a sentence: the order or form of words is incorrect, i.e., ungrammatical.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Grammar correction—what does it correct?

- ▶ Syntactic errors = errors in how words are put together in a sentence: the order or form of words is incorrect, i.e., ungrammatical.
- ▶ **Local** syntactic errors: 1-2 words away
 - ▶ e.g., *The study was conducted mainly **be** John Black.*
 - ▶ A verb is where a preposition should be.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Grammar correction—what does it correct?

- ▶ Syntactic errors = errors in how words are put together in a sentence: the order or form of words is incorrect, i.e., ungrammatical.
- ▶ **Local** syntactic errors: 1-2 words away
 - ▶ e.g., *The study was conducted mainly **be** John Black.*
 - ▶ A verb is where a preposition should be.
- ▶ **Long-distance** syntactic errors: (roughly) 3 or more words away
 - ▶ e.g., *The **kids** who are most upset by the little totem **is** going home early.*
 - ▶ Agreement error between subject *kids* and verb *is*

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

More on grammar correction

- ▶ Semantic errors = errors where the sentence structure sounds okay, but it doesn't really mean anything.
 - ▶ e.g., *They are leaving in about fifteen **minuets** to go to her house.*

⇒ *minuets* and *minutes* are both plural nouns, but only one makes sense here

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

More on grammar correction

- ▶ Semantic errors = errors where the sentence structure sounds okay, but it doesn't really mean anything.
 - ▶ e.g., *They are leaving in about fifteen **minuets** to go to her house.*
- ⇒ *minuets* and *minutes* are both plural nouns, but only one makes sense here

There are many different ways in which grammar correctors work, two of which we'll focus on:

- ▶ Bigram model (bigrams of words)
- ▶ Rule-based model

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Bigram grammar correctors

We can look at **bigrams** of words, i.e., two words appearing next to each other.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Bigram grammar correctors

We can look at **bigrams** of words, i.e., two words appearing next to each other.

- ▶ **Question:** Given the previous word, what is the probability of the current word?

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Bigram grammar correctors

We can look at **bigrams** of words, i.e., two words appearing next to each other.

- ▶ **Question:** Given the previous word, what is the probability of the current word?
 - ▶ e.g., given *these*, we have a 5% chance of seeing *reports* and a 0.001% chance of seeing *report* (*these report cards*).

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Bigram grammar correctors

We can look at **bigrams** of words, i.e., two words appearing next to each other.

- ▶ **Question:** Given the previous word, what is the probability of the current word?
 - ▶ e.g., given *these*, we have a 5% chance of seeing *reports* and a 0.001% chance of seeing *report* (*these report cards*).
 - ▶ Thus, we will change *report* to *reports*
- ▶ But there's a major problem: we may hardly ever see *these reports*, so we won't know the probability of that bigram.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Bigram grammar correctors

We can look at **bigrams** of words, i.e., two words appearing next to each other.

- ▶ **Question:** Given the previous word, what is the probability of the current word?
 - ▶ e.g., given *these*, we have a 5% chance of seeing *reports* and a 0.001% chance of seeing *report* (*these report cards*).
 - ▶ Thus, we will change *report* to *reports*
- ▶ But there's a major problem: we may hardly ever see *these reports*, so we won't know the probability of that bigram.
- ▶ **(Partial) Solution:** use bigrams of **parts of speech**.
 - ▶ e.g., What is the probability of a noun given that the previous word was an adjective?

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

We can write regular expressions to target specific error patterns. For example:

- ▶ *To a certain extend, we have achieved our goal.*
 - ▶ Match the pattern *some* or *certain* followed by *extend*, which can be done using the regular expression `some|certain extend`
 - ▶ Change the occurrence of *extend* in the pattern to *extent*.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

We can write regular expressions to target specific error patterns. For example:

- ▶ *To a certain extend, we have achieved our goal.*
 - ▶ Match the pattern *some* or *certain* followed by *extend*, which can be done using the regular expression `some|certain extend`
 - ▶ Change the occurrence of *extend* in the pattern to *extent*.
- ▶ Naber (2003) uses 56 such rules to build a grammar corrector which works nearly as well as that in commercial products.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Beyond regular expressions

- ▶ But what about correcting the following:
 - ▶ *A baseball teams were successful.*

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Beyond regular expressions

- ▶ But what about correcting the following:
 - ▶ *A baseball teams were successful.*
- ▶ We should change *A* to *Some*, but a simple regular expression doesn't work because we don't know where the word *teams* might show up.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ But what about correcting the following:
 - ▶ *A baseball teams were successful.*
- ▶ We should change *A* to *Some*, but a simple regular expression doesn't work because we don't know where the word *teams* might show up.
 - ▶ ***A** wildly overpaid, horrendous baseball **teams** were successful.* (Five words later; change needed.)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ But what about correcting the following:
 - ▶ *A baseball teams were successful.*
- ▶ We should change *A* to *Some*, but a simple regular expression doesn't work because we don't know where the word *teams* might show up.
 - ▶ **A** *wildly overpaid, horrendous baseball **teams** were successful.* (Five words later; change needed.)
 - ▶ **A** *player on both my **teams** was successful.* (Five words later; no change needed.)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ But what about correcting the following:
 - ▶ *A baseball teams were successful.*
- ▶ We should change *A* to *Some*, but a simple regular expression doesn't work because we don't know where the word *teams* might show up.
 - ▶ *A wildly overpaid, horrendous baseball **teams** were successful.* (Five words later; change needed.)
 - ▶ *A player on both my **teams** was successful.* (Five words later; no change needed.)
- ▶ We need to look at how the sentence is constructed in order to build a better rule.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ **Syntax** = the study of the way that sentences are constructed from smaller units.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ **Syntax** = the study of the way that sentences are constructed from smaller units.
- ▶ There cannot be a “dictionary” for sentences since there is an infinite number of possible sentences:

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ **Syntax** = the study of the way that sentences are constructed from smaller units.
- ▶ There cannot be a “dictionary” for sentences since there is an infinite number of possible sentences:

(7) The house is large.

(8) John believes that the house is large.

(9) Mary says that John believes that the house is large.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ **Syntax** = the study of the way that sentences are constructed from smaller units.
- ▶ There cannot be a “dictionary” for sentences since there is an infinite number of possible sentences:

(7) The house is large.

(8) John believes that the house is large.

(9) Mary says that John believes that the house is large.

There are two basic principles of sentence organization:

- ▶ Linear order
- ▶ Hierarchical structure (Constituency)

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Linear order

- ▶ **Linear order** = the order of words in a sentence.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Linear order

- ▶ **Linear order** = the order of words in a sentence.
- ▶ A sentence can have different meanings, based on its linear order:

(10) John loves Mary.

(11) Mary loves John.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Linear order

- ▶ **Linear order** = the order of words in a sentence.
- ▶ A sentence can have different meanings, based on its linear order:

(10) John loves Mary.

(11) Mary loves John.

- ▶ Languages vary as to what extent this is true, but linear order in general is used as a guiding principle for organizing words into meaningful sentences.
- ▶ Simple linear order as such is not sufficient to determine sentence organization though. For example, we can't simply say "The verb is the second word in the sentence."

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Linear order

- ▶ **Linear order** = the order of words in a sentence.
- ▶ A sentence can have different meanings, based on its linear order:

(10) John loves Mary.

(11) Mary loves John.

- ▶ Languages vary as to what extent this is true, but linear order in general is used as a guiding principle for organizing words into meaningful sentences.
- ▶ Simple linear order as such is not sufficient to determine sentence organization though. For example, we can't simply say "The verb is the second word in the sentence."

(12) I **eat** at really fancy restaurants.

(13) Many executives **eat** at really fancy restaurants.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ What are the “meaningful units” of a sentence like *Many executives eat at really fancy restaurants?*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ What are the “meaningful units” of a sentence like *Many executives eat at really fancy restaurants?*
 - ▶ Many executives
 - ▶ really fancy
 - ▶ really fancy restaurants
 - ▶ at really fancy restaurants
 - ▶ eat at really fancy restaurants

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ What are the “meaningful units” of a sentence like *Many executives eat at really fancy restaurants?*
 - ▶ Many executives
 - ▶ really fancy
 - ▶ really fancy restaurants
 - ▶ at really fancy restaurants
 - ▶ eat at really fancy restaurants
- ▶ We refer to these meaningful groupings as **constituents** of a sentence.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Hierarchical structure

- ▶ Constituents can appear within other constituents, which can be represented in a bracket form or in a **syntactic tree**.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Hierarchical structure

- ▶ Constituents can appear within other constituents, which can be represented in a bracket form or in a **syntactic tree**.
- ▶ Constituents shown through brackets:
[[Many executives] [eat [at [[really fancy] restaurants]]]]

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction


Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Hierarchical structure

- ▶ Constituents can appear within other constituents, which can be represented in a bracket form or in a **syntactic tree**.
- ▶ Constituents shown through brackets:
[[Many executives] [eat [at [[really fancy] restaurants]]]]
- ▶ Constituents displayed as a tree:



Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ We would also like some way to say that
 - ▶ *Many executives, and*
 - ▶ *really fancy restaurants*are the same type of grouping, or constituent, whereas
 - ▶ *at really fancy restaurants*seems to be something else.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ We would also like some way to say that
 - ▶ *Many executives, and*
 - ▶ *really fancy restaurants*are the same type of grouping, or constituent, whereas
 - ▶ *at really fancy restaurants*seems to be something else.
- ▶ For this, we will talk about different **categories**
 - ▶ Lexical
 - ▶ Phrasal

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Lexical categories are simply word classes, or what you may have heard as **parts of speech**.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

Lexical categories are simply word classes, or what you may have heard as **parts of speech**. The main ones are:

- ▶ verbs: *eat, drink, sleep, ...*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

Lexical categories are simply word classes, or what you may have heard as **parts of speech**. The main ones are:

- ▶ verbs: *eat, drink, sleep, ...*
- ▶ nouns: *gas, food, lodging, ...*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

Lexical categories are simply word classes, or what you may have heard as **parts of speech**. The main ones are:

- ▶ verbs: *eat, drink, sleep, ...*
- ▶ nouns: *gas, food, lodging, ...*
- ▶ adjectives: *quick, happy, brown, ...*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

Lexical categories are simply word classes, or what you may have heard as **parts of speech**. The main ones are:

- ▶ verbs: *eat, drink, sleep, ...*
- ▶ nouns: *gas, food, lodging, ...*
- ▶ adjectives: *quick, happy, brown, ...*
- ▶ adverbs: *quickly, happily, well, westward*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

Lexical categories are simply word classes, or what you may have heard as **parts of speech**. The main ones are:

- ▶ verbs: *eat, drink, sleep, ...*
- ▶ nouns: *gas, food, lodging, ...*
- ▶ adjectives: *quick, happy, brown, ...*
- ▶ adverbs: *quickly, happily, well, westward*
- ▶ prepositions: *on, in, at, to, into, of, ...*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

Lexical categories are simply word classes, or what you may have heard as **parts of speech**. The main ones are:

- ▶ verbs: *eat, drink, sleep, ...*
- ▶ nouns: *gas, food, lodging, ...*
- ▶ adjectives: *quick, happy, brown, ...*
- ▶ adverbs: *quickly, happily, well, westward*
- ▶ prepositions: *on, in, at, to, into, of, ...*
- ▶ determiners/articles: *a, an, the, this, these, some, much, ...*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

Determining lexical categories

How do we determine which category a word belongs to?

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

How do we determine which category a word belongs to?

- ▶ **Distribution:** Where can these kinds of words appear in a sentence?

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

How do we determine which category a word belongs to?

- ▶ **Distribution:** Where can these kinds of words appear in a sentence?
 - ▶ e.g., Nouns like *mouse* can appear after articles (“determiners”) like *some*, while a verb like *eat* cannot.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How do we determine which category a word belongs to?

- ▶ **Distribution:** Where can these kinds of words appear in a sentence?
 - ▶ e.g., Nouns like *mouse* can appear after articles (“determiners”) like *some*, while a verb like *eat* cannot.
- ▶ **Morphology:** What kinds of word prefixes/suffixes can a word take?

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

How do we determine which category a word belongs to?

- ▶ **Distribution:** Where can these kinds of words appear in a sentence?
 - ▶ e.g., Nouns like *mouse* can appear after articles (“determiners”) like *some*, while a verb like *eat* cannot.
- ▶ **Morphology:** What kinds of word prefixes/suffixes can a word take?
 - ▶ e.g., Verbs like *walk* can take a *ed* ending to mark them as past tense. A noun like *mouse* cannot.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Closed & Open classes

- ▶ We can add words to some classes, but not to others. This also seems to correlate with whether a word is “meaningful” or just a **function word** = only meaning comes from its usage in a sentence.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ We can add words to some classes, but not to others. This also seems to correlate with whether a word is “meaningful” or just a **function word** = only meaning comes from its usage in a sentence.
- ▶ **Open classes**: new words can be easily added:
 - ▶ verbs
 - ▶ nouns
 - ▶ adjectives
 - ▶ adverbs

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

Closed & Open classes

- ▶ We can add words to some classes, but not to others. This also seems to correlate with whether a word is “meaningful” or just a **function word** = only meaning comes from its usage in a sentence.
- ▶ **Open classes:** new words can be easily added:
 - ▶ verbs
 - ▶ nouns
 - ▶ adjectives
 - ▶ adverbs
- ▶ **Closed classes:** new words cannot be easily added:
 - ▶ prepositions
 - ▶ determiners

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ What about phrases? Can we assign them categories?

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ What about phrases? Can we assign them categories?
- ▶ We can also look at their distribution and see which ones behave in the same way.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ What about phrases? Can we assign them categories?
- ▶ We can also look at their distribution and see which ones behave in the same way.
 - ▶ The joggers ran through the park.
- ▶ What other phrases can we put in place of *The joggers*?

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Phrasal categories (cont.)

- ▶ What other phrases can we put in place of *The joggers* in a sentence such as the following?
 - ▶ The joggers ran through the park.
- ▶ Some options:
 - ▶ Susan
 - ▶ students
 - ▶ you
 - ▶ most dogs
 - ▶ some children
 - ▶ a huge, lovable bear
 - ▶ my friends from Brazil
 - ▶ the people that we interviewed

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Phrasal categories (cont.)

- ▶ What other phrases can we put in place of *The joggers* in a sentence such as the following?
 - ▶ The joggers ran through the park.
- ▶ Some options:
 - ▶ Susan
 - ▶ students
 - ▶ you
 - ▶ most dogs
 - ▶ some children
 - ▶ a huge, lovable bear
 - ▶ my friends from Brazil
 - ▶ the people that we interviewed
- ▶ Since all of these contain nouns, we consider these to be *noun phrases*, abbreviated with NP.

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax


Computing with Syntax

Grammar correction rules

Caveat emptor

Building a tree

Other phrases work similarly (S = sentence, VP = verb phrase, PP = prepositional phrase, AdjP = adjective phrase):



Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Phrase Structure Rules

- ▶ We can give rules for building these phrases. That is, we want a way to say that a determiner and a noun make up a noun phrase, but a verb and an adverb do not.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ We can give rules for building these phrases. That is, we want a way to say that a determiner and a noun make up a noun phrase, but a verb and an adverb do not.
- ▶ **Phrase structure rules** are a way to build larger constituents from smaller ones.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ We can give rules for building these phrases. That is, we want a way to say that a determiner and a noun make up a noun phrase, but a verb and an adverb do not.
- ▶ **Phrase structure rules** are a way to build larger constituents from smaller ones.
 - ▶ e.g., $S \rightarrow NP VP$

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

- ▶ We can give rules for building these phrases. That is, we want a way to say that a determiner and a noun make up a noun phrase, but a verb and an adverb do not.
- ▶ **Phrase structure rules** are a way to build larger constituents from smaller ones.
 - ▶ e.g., $S \rightarrow NP VP$
This says:
 - ▶ A sentence (S) constituent is composed of a noun phrase (NP) constituent and a verb phrase (VP) constituent. (hierarchy)

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

- ▶ We can give rules for building these phrases. That is, we want a way to say that a determiner and a noun make up a noun phrase, but a verb and an adverb do not.
- ▶ **Phrase structure rules** are a way to build larger constituents from smaller ones.
 - ▶ e.g., $S \rightarrow NP VP$
This says:
 - ▶ A sentence (S) constituent is composed of a noun phrase (NP) constituent and a verb phrase (VP) constituent. (hierarchy)
 - ▶ The NP must precede the VP. (linear order)

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Some other English rules

- ▶ NP → Det N (*the cat, a house, this computer*)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Some other English rules

- ▶ NP → Det N (*the cat, a house, this computer*)
- ▶ NP → Det AdjP N (*the happy cat, a really happy house*)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Some other English rules

- ▶ NP → Det N (*the cat, a house, this computer*)
- ▶ NP → Det AdjP N (*the happy cat, a really happy house*)
 - ▶ For phrase structure rules, as shorthand parentheses are used to express that a category is optional.
 - ▶ We thus can compactly express the two rules above as one rule:
 - ▶ NP → Det (AdjP) N

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Some other English rules

- ▶ NP → Det N (*the cat, a house, this computer*)
- ▶ NP → Det AdjP N (*the happy cat, a really happy house*)
 - ▶ For phrase structure rules, as shorthand parentheses are used to express that a category is optional.
 - ▶ We thus can compactly express the two rules above as one rule:
 - ▶ NP → Det (AdjP) N
 - ▶ Note that this is different and has nothing to do with the use of parentheses in regular expressions.
- ▶ AdjP → (Adv) Adj (*really happy*)

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

Some other English rules

- ▶ NP → Det N (*the cat, a house, this computer*)
- ▶ NP → Det AdjP N (*the happy cat, a really happy house*)
 - ▶ For phrase structure rules, as shorthand parentheses are used to express that a category is optional.
 - ▶ We thus can compactly express the two rules above as one rule:
 - ▶ NP → Det (AdjP) N
 - ▶ Note that this is different and has nothing to do with the use of parentheses in regular expressions.
- ▶ AdjP → (Adv) Adj (*really happy*)
- ▶ VP → V (*laugh, run, eat*)

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

Some other English rules

- ▶ NP → Det N (*the cat, a house, this computer*)
- ▶ NP → Det AdjP N (*the happy cat, a really happy house*)
 - ▶ For phrase structure rules, as shorthand parentheses are used to express that a category is optional.
 - ▶ We thus can compactly express the two rules above as one rule:
 - ▶ NP → Det (AdjP) N
 - ▶ Note that this is different and has nothing to do with the use of parentheses in regular expressions.
- ▶ AdjP → (Adv) Adj (*really happy*)
- ▶ VP → V (*laugh, run, eat*)
- ▶ VP → V NP (*love John, hit the wall, eat cake*)

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

Some other English rules

- ▶ NP → Det N (*the cat, a house, this computer*)
- ▶ NP → Det AdjP N (*the happy cat, a really happy house*)
 - ▶ For phrase structure rules, as shorthand parentheses are used to express that a category is optional.
 - ▶ We thus can compactly express the two rules above as one rule:
 - ▶ NP → Det (AdjP) N
 - ▶ Note that this is different and has nothing to do with the use of parentheses in regular expressions.
- ▶ AdjP → (Adv) Adj (*really happy*)
- ▶ VP → V (*laugh, run, eat*)
- ▶ VP → V NP (*love John, hit the wall, eat cake*)
- ▶ VP → V NP NP (*give John the ball*)

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Some other English rules

- ▶ NP → Det N (*the cat, a house, this computer*)
- ▶ NP → Det AdjP N (*the happy cat, a really happy house*)
 - ▶ For phrase structure rules, as shorthand parentheses are used to express that a category is optional.
 - ▶ We thus can compactly express the two rules above as one rule:
 - ▶ NP → Det (AdjP) N
 - ▶ Note that this is different and has nothing to do with the use of parentheses in regular expressions.
- ▶ AdjP → (Adv) Adj (*really happy*)
- ▶ VP → V (*laugh, run, eat*)
- ▶ VP → V NP (*love John, hit the wall, eat cake*)
- ▶ VP → V NP NP (*give John the ball*)
- ▶ PP → P NP (*to the store, at John, in a New York minute*)

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Some other English rules

- ▶ NP → Det N (*the cat, a house, this computer*)
- ▶ NP → Det AdjP N (*the happy cat, a really happy house*)
 - ▶ For phrase structure rules, as shorthand parentheses are used to express that a category is optional.
 - ▶ We thus can compactly express the two rules above as one rule:
 - ▶ NP → Det (AdjP) N
 - ▶ Note that this is different and has nothing to do with the use of parentheses in regular expressions.
- ▶ AdjP → (Adv) Adj (*really happy*)
- ▶ VP → V (*laugh, run, eat*)
- ▶ VP → V NP (*love John, hit the wall, eat cake*)
- ▶ VP → V NP NP (*give John the ball*)
- ▶ PP → P NP (*to the store, at John, in a New York minute*)
- ▶ NP → NP PP (*the cat on the stairs*)

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction


- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

With every phrase structure rule, you can draw a tree for it.



Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

Try analyzing these sentences and drawing trees for them, based on the phrase structure rules given above.

- ▶ The man in the kitchen drives a truck.
- ▶ That dang cat squeezed some fresh orange juice.
- ▶ The mouse in the corner by the stairs ate the cheese.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Properties of Phrase Structure Rules

- ▶ **generative** = a schematic strategy that describes a set of sentences completely.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Properties of Phrase Structure Rules

- ▶ **generative** = a schematic strategy that describes a set of sentences completely.
- ▶ potentially **(structurally) ambiguous** = have more than one analysis

(14) We need more intelligent leaders.

(15) Paraphrases:

- We need leaders who are more intelligent.
 - Intelligent leaders? We need more of them!
- ▶ **hierarchical** = categories have internal structure; they aren't just linearly ordered.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

Properties of Phrase Structure Rules

- ▶ **generative** = a schematic strategy that describes a set of sentences completely.
- ▶ potentially **(structurally) ambiguous** = have more than one analysis

(14) We need more intelligent leaders.

(15) Paraphrases:

- a. We need leaders who are more intelligent.
- b. Intelligent leaders? We need more of them!

- ▶ **hierarchical** = categories have internal structure; they aren't just linearly ordered.
- ▶ **recursive** = property allowing for a rule to be reapplied (within its hierarchical structure).

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Properties of Phrase Structure Rules

- ▶ **generative** = a schematic strategy that describes a set of sentences completely.
- ▶ potentially **(structurally) ambiguous** = have more than one analysis

(14) We need more intelligent leaders.

(15) Paraphrases:

- a. We need leaders who are more intelligent.
- b. Intelligent leaders? We need more of them!

- ▶ **hierarchical** = categories have internal structure; they aren't just linearly ordered.
- ▶ **recursive** = property allowing for a rule to be reapplied (within its hierarchical structure).
e.g., **NP** → NP PP
PP → P **NP**

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Properties of Phrase Structure Rules

- ▶ **generative** = a schematic strategy that describes a set of sentences completely.
- ▶ potentially **(structurally) ambiguous** = have more than one analysis

(14) We need more intelligent leaders.

(15) Paraphrases:

- a. We need leaders who are more intelligent.
- b. Intelligent leaders? We need more of them!

- ▶ **hierarchical** = categories have internal structure; they aren't just linearly ordered.
- ▶ **recursive** = property allowing for a rule to be reapplied (within its hierarchical structure).

e.g., **NP** → NP PP

PP → P **NP**

The property of recursion means that the set of potential sentences in a language is **infinite**.

Introduction

Error causes

Keyboard mistypings

Phonetic errors

Knowledge problems

Difficult issues

Tokenization

Inflection

Productivity

Non-word error detection

Dictionaries

N-gram analysis

Isolated-word error correction

Rule-based methods

Similarity key techniques

Probabilistic methods

Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

Context-free grammars

A **context-free grammar** (CFG) is essentially a collection of phrase structure rules.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

Syntax

- Computing with Syntax
- Grammar correction rules

Caveat emptor

Context-free grammars

A **context-free grammar** (CFG) is essentially a collection of phrase structure rules.

- ▶ It specifies that each rule must have:

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

A **context-free grammar** (CFG) is essentially a collection of phrase structure rules.

- ▶ It specifies that each rule must have:
 - ▶ a left-hand side (LHS): a single **non-terminal** element = (phrasal and lexical) categories

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax
Grammar correction rules

Caveat emptor

A **context-free grammar** (CFG) is essentially a collection of phrase structure rules.

- ▶ It specifies that each rule must have:
 - ▶ a left-hand side (LHS): a single **non-terminal** element = (phrasal and lexical) categories
 - ▶ a right-hand side (RHS): a mixture of non-terminal and terminal elements
terminal elements = actual words

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

A **context-free grammar** (CFG) is essentially a collection of phrase structure rules.

- ▶ It specifies that each rule must have:
 - ▶ a left-hand side (LHS): a single **non-terminal** element = (phrasal and lexical) categories
 - ▶ a right-hand side (RHS): a mixture of non-terminal and terminal elements
terminal elements = actual words
- ▶ A CFG tries to capture a natural language completely.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

A **context-free grammar** (CFG) is essentially a collection of phrase structure rules.

- ▶ It specifies that each rule must have:
 - ▶ a left-hand side (LHS): a single **non-terminal** element = (phrasal and lexical) categories
 - ▶ a right-hand side (RHS): a mixture of non-terminal and terminal elements
terminal elements = actual words
- ▶ A CFG tries to capture a natural language completely.

Why “context-free”? Because these rules make no reference to any context surrounding them. i.e. you can't say “PP → P NP” *when* there is a verb phrase (VP) to the left.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Pushdown automaton = the computational implementation of a context-free grammar.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Pushdown automaton = the computational implementation of a context-free grammar.

It uses a **stack** (its memory device) and has two operations:

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax

- Grammar correction rules

Caveat emptor

Pushdown automaton = the computational implementation of a context-free grammar.

It uses a **stack** (its memory device) and has two operations:

- ▶ **push** = put an element onto the top of a stack.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax

Grammar correction rules

Caveat emptor

Pushdown automaton = the computational implementation of a context-free grammar.

It uses a **stack** (its memory device) and has two operations:

- ▶ **push** = put an element onto the top of a stack.
- ▶ **pop** = take the topmost element from the stack.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Pushdown automaton = the computational implementation of a context-free grammar.

It uses a **stack** (its memory device) and has two operations:

- ▶ **push** = put an element onto the top of a stack.
- ▶ **pop** = take the topmost element from the stack.

This has the property of being **Last In First Out (LIFO)**.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax

Grammar correction rules

Caveat emptor

Pushdown automaton = the computational implementation of a context-free grammar.

It uses a **stack** (its memory device) and has two operations:

- ▶ **push** = put an element onto the top of a stack.
- ▶ **pop** = take the topmost element from the stack.

This has the property of being **Last In First Out (LIFO)**.

So, when you have a rule like “PP → P NP”, you push NP onto the stack and then push P onto it. If you find a preposition (e.g., *on*), you pop P off of the stack and now you know that the next thing you need is an NP.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax

- Grammar correction rules

Caveat emptor

So, using these phrase structure (context-free) rules and using something like a pushdown automaton, we can get a computer to **parse** a sentence = assign a structure to a sentence.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax

Grammar correction rules

Caveat emptor

So, using these phrase structure (context-free) rules and using something like a pushdown automaton, we can get a computer to **parse** a sentence = assign a structure to a sentence.

Do you parse top-down or bottom-up (or a mixture)?

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

So, using these phrase structure (context-free) rules and using something like a pushdown automaton, we can get a computer to **parse** a sentence = assign a structure to a sentence.

Do you parse top-down or bottom-up (or a mixture)?

- ▶ **top-down**: build a tree by starting at the top (i.e. $S \rightarrow NP VP$) and working down the tree.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax

Grammar correction rules

Caveat emptor

So, using these phrase structure (context-free) rules and using something like a pushdown automaton, we can get a computer to **parse** a sentence = assign a structure to a sentence.

Do you parse top-down or bottom-up (or a mixture)?

- ▶ **top-down**: build a tree by starting at the top (i.e. $S \rightarrow NP VP$) and working down the tree.
- ▶ **bottom-up**: build a tree by starting with the words at the bottom and working up to the top.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax

Computing with Syntax

Grammar correction rules

Caveat emptor

So, using these phrase structure (context-free) rules and using something like a pushdown automaton, we can get a computer to **parse** a sentence = assign a structure to a sentence.

Do you parse top-down or bottom-up (or a mixture)?

- ▶ **top-down**: build a tree by starting at the top (i.e. $S \rightarrow NP VP$) and working down the tree.
- ▶ **bottom-up**: build a tree by starting with the words at the bottom and working up to the top.

There are many, many parsing techniques out there.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

Writing grammar correction rules

So, with context-free grammars, we can now write some correction rules, which we will just sketch here.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax

Grammar correction rules

Caveat emptor

Writing grammar correction rules

So, with context-free grammars, we can now write some correction rules, which we will just sketch here.

- ▶ *A baseball teams were successful.*

A followed by PLURAL NP: change $A \rightarrow The$

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax

Grammar correction rules

Caveat emptor

Writing grammar correction rules

So, with context-free grammars, we can now write some correction rules, which we will just sketch here.

- ▶ *A baseball teams were successful.*

A followed by PLURAL NP: change $A \rightarrow$ *The*

- ▶ *John at the taco.*

The structure of this sentence is NP PP, but that doesn't make up a whole sentence. We need a verb somewhere.

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax

Grammar correction rules

Caveat emptor

Is this really how spell checkers work?

As far as we know, yes, but:

- ▶ Many spell checkers are proprietary and the way they work is kept secret; we don't know how they work exactly, which hampers research and thereby progress.

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Is this really how spell checkers work?

As far as we know, yes, but:

- ▶ Many spell checkers are proprietary and the way they work is kept secret; we don't know how they work exactly, which hampers research and thereby progress.
- ▶ Others, such as aspell and ispell, are **open source** spell checkers, meaning that anyone can
 - ▶ contribute to their further development, and
 - ▶ see how they work, which makes it possible to understand exactly what they will and what they won't catch.

(cf. <http://aspell.sourceforge.net/> and <http://fm-g-www.cs.ucla.edu/fm-g-members/geoff/ispell.html>)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Dangers of spelling and grammar correction

- ▶ The more we depend on spelling correctors, the less we try to correct things on our own. But spell checkers are not 100%

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

Dangers of spelling and grammar correction

- ▶ The more we depend on spelling correctors, the less we try to correct things on our own. But spell checkers are not 100%
- ▶ A study at the University of Pittsburgh found that students made **more** errors when using a spell checker!

	high SAT scores	low SAT scores
use checker	16 errors	17 errors
no checker	5 errors	12.3 errors

(cf., <http://www.wired.com/news/business/0,1367,58058,00.html>)

Introduction

Error causes

Keyboard mistypings
Phonetic errors
Knowledge problems

Difficult issues

Tokenization
Inflection
Productivity

Non-word error detection

Dictionaries
N-gram analysis

Isolated-word error correction

Rule-based methods
Similarity key techniques
Probabilistic methods
Minimum edit distance

Grammar correction

Syntax
Computing with Syntax
Grammar correction rules

Caveat emptor

A Poem on the Dangers of Spell Checkers

Michael Livingston

*Eye halve a spelling chequer
It came with my pea sea.
It plainly marques four my revue
Miss steaks eye kin knot sea.
Eye strike a key and type a word
And weight four it two say
Weather eye am wrong oar write
It shows me strait a weigh.
As soon as a mist ache is maid
It nose bee fore two long
And eye can put the error rite
Its rare lea ever wrong.
Eye have run this poem threw it
I am shore your pleased two no
Its letter perfect awl the weigh
My chequer tolled me sew.*

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor

References

- ▶ The discussion is based on Markus Dickinson (2006). Writer's Aids. In Keith Brown (ed.): *Encyclopedia of Language and Linguistics. Second Edition..* Elsevier.
- ▶ A major inspiration for that article and our discussion is Karen Kukich (1992): *Techniques for Automatically Correcting Words in Text*. ACM Computing Surveys, pages 377–439.
- ▶ For a discussion of the confusion matrix, cf. Mark D. Kernighan, Kenneth W. Church and William A. Gale (1990). A spelling Correction Program Based on a Noisy Channel Model. In *Proceedings of COLING-90*. pp. 205–210.
- ▶ An open-source style/grammar checker is described in Daniel Naber (2003). *A Rule-Based Style and Grammar Checker*. Diploma Thesis, Universität Bielefeld.
<http://www.danielnaber.de/language-tool/>

Introduction

Error causes

- Keyboard mistypings
- Phonetic errors
- Knowledge problems

Difficult issues

- Tokenization
- Inflection
- Productivity

Non-word error detection

- Dictionaries
- N-gram analysis

Isolated-word error correction

- Rule-based methods
- Similarity key techniques
- Probabilistic methods
- Minimum edit distance

Grammar correction

- Syntax
- Computing with Syntax
- Grammar correction rules

Caveat emptor